

L Number	Hits	Search Text	DB	Time stamp
1	2	" 6,530,065 B1"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 12:46
-	24123	(( server\$3 or remote\$1) with display\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:24
-	2502	(( server\$3 or remote\$1) with display\$3 with client).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:24
-	35	(( server\$3 or remote\$1) with display\$3 with client same password).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:27
-	32	( server\$3 with display\$3 with client same password).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:28
-	11	( server\$3 with display\$3 with client with password).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:32
-	54	( (server\$3 or remote) with display\$3 with client with shar\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:26
-	67	( (server\$3 or remote) with display\$3 with data with shar\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:27
-	142	(server\$3 with display\$3 with shar\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:27
-	53	(server\$3 with display\$3 with shar\$3 with client).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:02
-	2	( remote with display\$3 with shar\$3 with client).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:03
-	137	( remote with display\$3 with client).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:22
-	12902	( remote with display\$3 originat\$3 with client).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:22
-	11875	( server with display\$3 originat\$3 with client).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:23

-	4	( server with display\$3 with originat\$3 with client).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:25
-	0	( remote with display\$3 with originat\$3 with client).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:25
-	21	( server with display\$3 with originat\$3 with client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:37
-	177	( server with display\$3 with originat\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:36
-	34	( server with display\$3 with originat\$3 ) same client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:36
-	34	( server with display\$3 with originat\$3 same client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:39
-	376	( server with display\$3 with shar\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:40
-	140	( server with display\$3 with shar\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:02
-	16	( ( server with display\$3 with shar\$3 ).ab. ) & (real near2 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:02
-	1940	( ( server or remote) with display\$3 with monitor\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:59
-	98	( ( server or remote) with display\$3 with monitor\$3 with client ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:59
-	93	( ( server ) with display\$3 with monitor\$3 with client ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:00
-	11	( ( ( server ) with display\$3 with monitor\$3 with client ).ab. ) & ( real near2 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:00
-	61	( server with display\$3 with shar\$3 same client ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:15

	8	( ( server with display\$3 with shar\$3 same client ).ab. ) & (real near2 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:41
	3	( ( server with display\$3 with shar\$3 same client ).ab. ) & pixel\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:07
	9	( server with display\$3 with pixel\$1 same client ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 16:54
	4	( ( display\$3 with pixel\$1 with shar\$3 ).ab. ) & ( real near2 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:21
	1	( display\$3 with pixel\$1 with shar\$3 & remote ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:22
	4	( ( display\$3 with pixel\$1 with shar\$3 ).ab. ) & remote	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:23
	2	( display\$3 with pixel\$1 with shar\$3 & server ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:22
	110	( display\$3 with pixel\$1 with shar\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:25
	2	( ( display\$3 with pixel\$1 with shar\$3 ).ab. ) & server & client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:24
	3	( ( display\$3 with pixel\$1 with shar\$3 ).ab. ) & server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:24
	2	( ( display\$3 with pixel\$1 with shar\$3 ).ab. ) & client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:25
	33	( display\$3 with pixel\$1 same server ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:34
	4	( ( display\$3 with pixel\$1 same server ).ab. ) & ( real near2 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:31
	4	( ( ( display\$3 with pixel\$1 same server ).ab. ) & ( real near2 time)) & ( display\$3 with server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:28

-	563	( display\$3 with server with monitor\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 15:31
-	76	( ( display\$3 with server with monitor\$3 ).ab. ) & ( real near2 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 15:31
-	29	( display\$3 with pixel\$1 same client ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 15:32
-	5	( monitor\$3 with pixel\$1 same server ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 15:34
-	2	( monitor\$3 with pixel\$1 with server ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 15:35
-	15	( display\$3 with pixel\$1 with server ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 15:41
-	11630	( display\$3 with server ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:35
-	434	( ( display\$3 with server ).ab. ) & (real near2 time) & client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 15:42
-	87	( ( display\$3 with server ).ab. ) & (real near2 time) & client & password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 15:43
-	6	( ( display\$3 with server ).ab. ) & (real near2 time) & client & password & pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 15:58
-	33	( ( display\$3 with server ).ab. ) & (real near2 time) & client & pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:05
-	434	( ( display\$3 with server ).ab. ) & (real near2 time) & client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:05
-	151	( ( display\$3 with server ).ab. ) & (real near2 time) & client & shar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:06
-	67	( ( display\$3 with server ).ab. ) & (real near2 time) & client & shar\$3 near2 (data or event\$1 or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:08

-	18	( ( display\$3 with server ).ab. ) & (real near2 time) & client & ( (shar\$3 near2 (data or event\$1 or information) ) with display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:41
-	0	( ( display\$3 with server ).ab. ) & instrumentation & client & ( (shar\$3 near2 (data or event\$1 or information) ) with display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:15
-	335	( ( display\$3 with server ).ab. ) & eduction & client & ( (shar\$3 near2 (data or event\$1 or information) ) with display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:15
-	0	( ( display\$3 with server ).ab. ) & eduction & client & ( (shar\$3 near2 (data or event\$1 or information) ) with display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:15
-	56	( ( display\$3 with server ).ab. ) & client & ( (shar\$3 near2 (data or event\$1 or information) ) with display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:16
-	56	( ( display\$3 with server ).ab. ) & client & ( (shar\$3 near2 (data or event\$1 or information) ) with display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:36
-	2620	( display\$3 near2 server ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:35
-	27	(( display\$3 near2 server ) same client same shar\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:36
-	27	(( display\$3 near2 server ) same client same shar\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:40
-	634	(( display\$3 near2 server ) same client ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:41
-	67	( (( display\$3 near2 server ) same client ).ab. ) & (real near2 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:41
-	486	(( display\$3 near2 server ) with client ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:41
-	97	(( display\$3 near2 server ) same client ).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:42
-	1	(( display\$3 near2 server ) with client same real ).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/08 16:42

	97	(( display\$3 near2 server ) with client ).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 16:45
	2	( (( display\$3 near2 server ) with client ).ti. ) & ( real near2 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 16:49
	2	" 6,370,487 B1"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 16:48
	2	( (( display\$3 near2 server ) with client ).ti. ) & ( password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 16:49
	110	( display\$3 with pixel\$1 with shar\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 17:00
	2	" 6,530,065 B1"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 09:34
	0	( display\$3 with redispach\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 09:35
	352	( display\$3 with dispatch\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 09:35
	1	( display\$3 with re near2 dispatch\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 09:36
	0	( display\$3 with re near2 dispatch\$3 ) with server same client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 09:36
	0	( display\$3 with re near2 dispatch\$3 ) with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 09:36
	0	( display\$3 with re near2 dispatch\$3 ) same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 09:36
	1	( display\$3 with re near2 dispatch\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 10:56
	7	" 6,151,020"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 12:46

-	0	( passwork with server with client same display\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/09 11:20
-	35	( password with server with client same display\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/09 11:20